

SABGARD PHARMACEUTICALS PVT LIMITED

DRY SYRUP & ORAL LIQUID

DRY SYRUP

S.NO	GENERIC NAME	COMPOSITION	STRENGTH
1	AMOXYCILLIN AND POTASSIUM CLAVULANATE ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXYCILLIN TRIHYDRATE EQ. TO AMOXYCILLIN POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	200 mg 28.5 mg
2	AMOXYCILLIN AND POTASSIUM CLAVULANATE ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXYCILLIN TRIHYDRATE EQ. TO AMOXYCILLIN POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	125 mg 31.25 mg
3	AMOXYCILLIN AND POTASSIUM CLAVULANATE ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXYCILLIN TRIHYDRATE EQ. TO AMOXYCILLIN POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	400 mg 57 mg
4	AMOXYCILLIN ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXYCILLIN TRIHYDRATE EQ. TO AMOXYCILLIN	250mg
5	AMOXYCILLIN ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXYCILLIN TRIHYDRATE EQ. TO AMOXYCILLIN	125 mg
6	CEFPODOXIME PROXETIL AND POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFPODOXIME PROXETIL EQ. TO CEFPODOXIME POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED)	50 mg 31.25 mg
7	CEFPODOXIME PROXETIL FOR ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFPODOXIME PROXETIL EQ. TO	50 mg
8	CEFPODOXIME PROXETIL ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFPODOXIME PROXETIL EQ. TO	100 mg

9	CEPHALEXIN ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEPHALEXIN MONOHYDRATE EQ. TO CEPHALEXIN	125 mg
10	CEFIXIME ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE	50 mg
11	CEFIXIME ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE	100 mg
12	CEFACLOR ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFACLOR	125 mg
13	CEFIXIME AND POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE EQ. TO CEFIXIME ANHYDROUS POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED)	50 mg 31.25 mg
14	CEFIXIME TRIHYDRATE AND LACTIC ACID BACILLUS ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE EQ. TO CEFIXIME ANHYDROUS	50 mg 60 million spores
15	CEFUROXIME ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFUROXIME AXETIL	125 mg
16	LINEZOLID ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS:	100 mg
17	CEFUROXIME AND POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFUROXIME AXETIL EQ. TO CEFUROXIME POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	125 mg 31.25 mg
18	CEFODOXIME PROXTEIL & POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS CEFODOXIME PROXTEIL Eq. TO CEFODOXIME POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) Eq. TO CLAVULANIC ACID EXCIPIENTS	100MG 62.5MG
ORAL LIQUID			
S.NO	GENERIC NAME	COMPOSITION	STRENGTH
1	ACEBROPHYLLINE SYRUP	EACH 5 ML CONTAINS: ACEBROPHYLLINE	50 MG

2	AMBROXOL HYDROCHLORIDE, LEVOSALBUTAMOL SULPHATE AND GUAIPHENESIN SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE LEVOSALBUTAMOL SULPHATE EQ. TO LEVOSALBUTAMOL GUAIPHENESIN	30 MG 1 MG 50 MG
3	DRIED ALUMINIUM HYDROXIDE, MAGNESIUM HYDROXIDE, SIMETHICONE AND OXETACAINE SYRUP	EACH 5 ML CONTAINS: DRIED ALUMINIUM HYDROXIDE MAGNESIUM HYDROXIDE SIMETHICONE OXETACAINE	600 MG 300 MG 25 MG 10 MG
4	SODIUM FEREDTATE ORAL SOLUTION BP	EACH 15 ML CONTAINS: SODIUM FEREDTATE EQ. TO ELE. IRON	231 MG 33 MG
5	CALCIUM CARBONATE, VITAMIN D3 AND ZINC SYRUP	EACH 5 ML CONTAINS: CALCIUM CARBONATE EQ. TO ELEMENTAL CALCIUM VITAMN D3 ZINC SULPAHTE EQ. TO ELEMENTAL ZINC	625 MG 250 MG 125 IU 18 MG 4 MG
6	FERROUS ASCORBATE AND FOLIC ACID ORAL SUSPENSION	EACH 5 ML CONTAINS: FERROUS ASCORBATE EQ. TO ELEMENTAL IRON FOLIC ACID	30 MG 550 MCG
7	BROMHEXINE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: BROMHEXINE HCL GUAIPHENESIN TERBUTALINE SULPHATE	4 MG 50 MG 1.25 MG
8	ALUMINIUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE ORAL SUSPENSION	EACH 5 ML CONTAINS: ALUMINIUM HYDROXIDE MAGNESIUM HYDROXIDE SIMETHICONE EMULSION EQ.TO SIMETHICONE	200 MG 200 MG 25 MG
9	ALUMINIUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE ORAL SUSPENSION	EACH 10 ML CONTAINS: ALUMINIUM HYDROXIDE MAGNESIUM HYDROXIDE SIMETHICONE EMULSION EQ.TO SIMETHICONE	200 MG 200 MG 25 MG

10	CYPROHEPTADINE AND TRICHOLINE SYRUP	EACH 5 ML CONTAINS: CYPROHEPTADINE HCL EQ. TO CYPROHEPTADINE TRICHOLINE CITRATE SORBITOL BASE	2 MG 275 MG QS
11	DEXTRO METHORPHAN HYDROBROMIDE, CHLORPHENIRAMINE AND PHENYLEPHERINE HCL SYRUP	EACH 5 ML CONTAINS: DEXTRO METHORPHAN HYDROBROMIDE CHLORPHENIRAMINE MALEATE PHENYLEPHERINE HCL	10 MG 2 MG 5 MG
12	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	15 MG 50 MG 1.25 MG QS
13	DEXTROMETHORPHAN HYDROBROMIDE AND CHLORPHENIRAMINE MALEATE SYRUP	EACH 5 ML CONTAINS: DEXTROMETHORPHAN HYDROBROMIDE CHLORPHENIRAMINE MALEATE	10 MG 2 MG
14	LEVOCETIRIZINE DIHYDROCHLORIDESYRUP	EACH 5 ML CONTAINS: LEVOCETIRIZINE DIHYDROCHLORIDE	2.5 MG
15	LEVOCETIRIZINE DIHYDROCHLORIDEAND AMBROXOL HCL SYRUP	EACH 5 ML CONTAINS: LEVOCETIRIZINE DIHYDROCHLORIDE AMBROXOL HYDROCHLORIDE	2.5 MG 30 MG
16	MAGALDRATE, SIMETHICONE AND ORAL SUSPENSION USP	EACH 5ML CONTAINS: MAGALDRATE SIMETHICONE EMULSION 30% EQ. TO SIMETHICONE	480 MG 20 MG
17	LACTULOSE SOLUTION USP	EACH 15 ML CONTAINS: LACTULOSE CONCENTRATE EQ. TO LACTULOSE	10 GM
18	FERROUS ASCORBATE AND FOLIC ACID ORAL SUSPENSION	EACH 5 ML CONTAINS: FERROUS ASCORBATE EQ. TO ELEMENTAL IRON FOLIC ACID	100 MG 1.5 MG

19	PHENYLEPHERINE, CHLORAPHENIRAMINE MALEATE PARACETAMOL AND SODIUM CITRATE ORAL SUSPENSION	EACH 5 ML CONTAINS: PHENYLEPHERINE CHLORAPHENIRAMINE MALEATE PARACETAMOL SODIUM CITRATE MENTHOLATED SYRUPY BASE	5 MG 0.5MG 125 MG 60 MG QS
20	SUCRALFATE ORAL SUSPENSION	EACH 10 ML CONTAINS: SUCRALFATE	500 MG
21	PARACETAMOL PAEDIATRIC ORAL SUSPENSION IP	EACH 5 ML CONTAINS: PARACETAMOL	250 MG
22	PARACETAMOL PAEDIATRIC ORAL SUSPENSION IP	EACH 5 ML CONTAINS: PARACETAMOL	125 MG
23	DISODIUM HYDROGEN CITRATE SYRUP	EACH 5 ML CONTAINS: DISODIUM HYDROGEN CITRATE	1.40 GM
24	PARACETAMOL AND MEFENAMIC ACID ORAL SUSPENSION	EACH 5 ML CONTAINS: PARACETAMOL MEFENAMIC ACID	125 MG 50 MG
25	SUCRALFATE ORAL SUSPENSION	EACH 5 ML CONTAINS: SUCRALFATE	500 MG
26	PHENYLEPHERINE HCL, CHLORPHENIRAMINE MALEATE AND PARACETAMOL ORAL SUSPENSION	EACH 5 ML CONTAINS: PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE PARACETAMOL	2.5 MG 1 MG 125 MG
27	SUCRALFATE AND OXETOCAINE ORAL SUSPENSION	EACH 5 ML CONTAINS: SUCRALFATE OXETOCAINE	500 MG 10 MG
28	BROMHEXINE, GUAIPHENESIN AND TERBUTALINE SULPHATE SYRUP	EACH 5 ML CONTAINS: BROMHEXINE HCL GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	8 MG 100 MG 2.5 MG QS
29	DEXTROMETHORPHAN HYDROBROMIDE AND CHLORPHENIRAMINE MALEATE SYRUP	EACH 5 ML CONTAINS: DEXTROMETHORPHAN HYDROBROMIDE CHLORPHENIRAMINE MALEATE	10 MG 4 MG

30	MAGALDRATE, SIMETHICONE AND ORAL SUSPENSION USP	EACH 5 ML CONTAINS: MAGALDRATE SIMETHICONE EMULSION 30% EQ. TO SIMETHICONE	400 MG 20 MG
31	FUNGAL DIASTATE AND PEPSIN SYRUP	EACH 5 ML CONTAINS: FUNGAL DIASTATE (1:1200) PEPSIN (1:3000)	50 MG 10 MG
32	FUNGAL DIASTATE AND PEPSIN SYRUP	EACH 15 ML CONTAINS: FUNGAL DIASTATE (1:1200) PEPSIN (1:3000)	50 MG 10 MG
33	OFLOXACIN ORAL SUSPENSION IP	EACH 5 ML CONTAINS: OFLOXACIN	50 MG
34	BROMHEXINE AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: BROMHEXINE HCL TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	8 MG 2.5 MG QS
35	DEXTRO METHORPHAN HYDROBROMIDE, PHENYLEPHERINE HCL, CHLORPHENIRAMINE, BROMHEXINE SYRUP	EACH 5 ML CONTAINS: DEXTRO METHORPHAN HYDROBROMIDE PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE BROMHEXINE	5 MG 5MG 4 MG 4 MG
36	DIPHENHYDRAMINE, AMMONIUM CHLORIDE AND SODIUM CITRATE SYRUP	EACH 5 ML CONTAINS: DIPHENHYDRAMINE AMMONIUM CHLORIDE SODIUM CITRATE MENTHOLATED SYRUPY BASE	14.08 MG 138 MG 57.03 MG QS
37	AMBROXOL HYDROCHLORIDE AND GUAIPHENESIN SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN	15 MG 10 MG
38	BROMHEXINE, GUAIPHENESIN AND TERBUTALINE SULPHATE SYRUP	EACH 10 ML CONTAINS: BROMHEXINE HCL GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	8 MG 100 MG 2.5 MG QS

39	FERRIC AMMONIUM CITRATE, CYNOCOBALAMINE, FOLIC ACID, CUPRIC SULPHATE AND MANGANESE SULPHATE SYRUP	EACH 5 ML CONTAINS: FERRIC AMMONIUM CITRATE CYNOCOBALAMINE FOLIC ACID CUPRIC SULPHATE MANGANESE SULPHATE	160 MG 7.5 MCG 0.5 MG 30 MCG 30 MG
40	PROTEIN HYDROLYSATE 20%, NIACINAMIDE, IRON CHOLINE CITRATE, MAGNESIUM CHLORIDE, MANGNESE CHLORIDE, ZINC SULPAHTE AND L-LYSINE HYDROCHLORIDE SYRUP	EACH 5 ML CONTAINS: PROTEIN HYDROLYSATE 20% NIACINAMIDE IRON CHOLINE CITRATE MAGNESIUM CHLORIDE MANGANESE CHLORIDE ZINC SULPAHTE EQ. TO ELEMENTAL ZINC L-LYSINE HYDROCHLORIDE	0.333 G 10 MG 15 MG 3.333 MG 0.033 MG 2.7 MG 0.600 MG 20 MG
41	CALCIUM CARBONATE, VITAMIN D3 AND ZINC ORAL SUSPENSION	EACH 5 ML CONTAINS: CALCIUM CARBONATE VITAMN D3 ZINC SULPAHTE MONO	50 MG 400 IU 7.5 MG
42	FERRIC AMMONIUM CITRATE, CYNOCOBALAMINE, FOLIC ACID AND SORBITOL SYRUP	EACH 5 ML CONTAINS: FERRIC AMMONIUM CITRATE CYNOCOBALAMINE FOLIC ACID SORBITOL	110 MG 15 MCG 1.5 MG 10%W/V
43	FERRIC AMMONIUM CITRATE, CYNOCOBALAMINE AND FOLIC ACID SYRUP	EACH 5 ML CONTAINS: FERRIC AMMONIUM CITRATE CYNOCOBALAMINE FOLIC ACID	110 MG 15 MCG 1.5 MG
44	DEXTRO METHORPHAN HYDROBROMIDE, GUAIPHENESIN AND AMMONIUM CHLORIDE SYRUP	EACH 5 ML CONTAINS: DEXTRO METHORPHAN HYDROBROMIDE GUAIPHENESIN AMMONIUM CHLORIDE	5 MG 50 MG 60 MG
45	BROMHEXINE, GUAIPHENESIN AND TERBUTALINE SULPHATE SYRUP	EACH 5 ML CONTAINS: BROMHEXINE HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	4 MG 50 MG 1.25 MG QS
46	TRICHOLINE CITRATE AND SORBITOL SYRUP	EACH 5 ML CONTAINS: TRICHOLINE CITRATE SORBITOL 70%	550 MG 10 %W/V

47	CYPROHEPTADINE HYDROCHLORIDE SYRUP IP	EACH 5 ML CONTAINS: CYPROHEPTADINE HCL EQ. TO CYPROHEPTADINE	2MG
48	PARACETAMOL, CETIRIZINE HYDROCHLORIDE AND PHENYLEPHERINE HCL SUSPENSION	EACH 5 ML CONTAINS: PARACETAMOL CETIRIZINE HYDROCHLORIDE PHENYLEPHERINE HCL	125 MG 5 MG 2 MG
49	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	15 MG 50 MG 1.25 MG QS
50	PHENYLEPHERINE HCL AND CHLORPHENIRAMINE MALEATE SYRUP	EACH 5 ML CONTAINS: PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE	2.5 MG 1 MG
51	PAPAIN L-LYSINE HYDROCHLORIDE, NIACINAMIDE, THIAMINE MONONITRATE AND PYRIDOXINE HYDROCHLORIDE SYRUP	EACH 15 ML CONTAINS: PAPAIN L-LYSINE HYDROCHLORIDE NIACINAMIDE THIAMINE MONONITRATE PYRIDOXINE HYDROCHLORIDE	60 MG 15 MG 2.25 MG 2.25 MG 0.75 MG
52	ALUMINIUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE ORAL SUSPENSION	EACH 10 ML CONTAINS: DRIED ALUMINIUM HYDROXIDE MAGNESIUM HYDROXIDE SIMETHICONE SODIUM	250 MG 250 MG 50 MG
53	CHLORPHENIRAMINE MALEATE, AMMONIUM CHLORIDE AND SODIUM CITRATE SYRUP	EACH 5 ML CONTAINS: CHLORPHENIRAMINE MALEATE AMMONIUM CHLORIDE SODIUM CITRATE	2.5 MG 125 MG 55 MG
54	LACTULOSE SOLUTION USP	EACH 5 ML CONTAINS: LACTULOSE CONCENTRATE EQ. TO LACTULOSE	3.35 GM
55	CALCIUM CARBONATE AND VITAMIN D3 SYRUP	EACH 5 ML CONTAINS: CALCIUM CARBONATE EQ. TO ELEMENTAL CALCIUM VITAMIN D3	625 MG 250 MG 125 IU

56	PROTEIN HYDROLYSATE, FERRIC AMMONIUM CITRATE, FOLIC ACID, ZINC SULPHATE, L-GLUTAMIC ACID, MANGANESE SULPHATE, LYCOPENE 10% AND SELENIUM SYRUP	EACH 5 ML CONTAINS: PROTEIN HYDROLYSATE (FROM SOYABEAN 15%) PROTEINHYDROLYSATE (FROM CASEIN 15%) FERRIC AMMONIUM CITRATE FOLIC ACID ZINC SULPHATE L-GLUTAMIC ACID MANGANESE SULPHATE LYCOPENE 10% SELENIUM (AS SODIUM SELENATE) IN A FLAVORED SORBITOLSYRUPY BASE	1.5 gm 1.5 gm 30 mg 1000 mcg 44.4 mg 50 mg 0.5 mg 65 mcg 100mcg
57	IRON CHOLINE CITRATE AND FOLIC ACID SYRUP	EACH 5 ML CONTAINS: IRON CHOLINE CITRATE FOLIC ACID	175 MG 500 MCG
58	MAGALDRATE, OXETACAINE, ACTIVATED POLYDIMETHYLSILOXANE ORAL SUSPENSION	EACH 5 ML CONTAINS: MAGALDRATE OXETACAINE ACTIVATED POLYDIMETHYLSILOXANE	540 MG 10 MG 50 MG
59	SILYMARIN AND LECITHIN ORAL SUSPENSION	EACH 5 ML CONTAINS: SILYMARIN LECITHIN	35 MG 125 MG
60	GUAIPHENESIN, DEXTRO METHORPHAN HYDROBROMIDE, PHENYLEPHRINE HYDROCHLORIDE, CHLORPHENIRAMINE MALEATE SYRUP	EACH 5 ML CONTAINS: GUAIPHENESIN DEXTRO METHORPHAN HYDROBROMIDE PHENYLEPHRINE HYDROCHLORIDE CHLORPHENIRAMINE MALEATE	100 MG 10 MG 5 MG 4 MG
61	FERROUS ASCORBATE, FOLIC ACID AND VITAMIN B12 ORAL SUSPENSION	EACH 5 ML CONTAINS: FERROUS ASCORBATE EQ. TO ELEMENTAL IRON FOLIC ACID VITAMIN B12	231 MG 33 MG 1500 MCG 15 MCG
62	MAGALDRATE, SIMETHICONE AND DOMPERIDONE ORAL SUSPENSION	EACH 10 ML CONTAINS: MAGALDRATE EQ. TO ANHYDROUS MAGALDRATE SIMETHICONE DOMPERIDONE	540 MG 20 MG 10 MG

63	LACITOL AND BENZOIC ACID SYRUP	EACH 15 ML CONTAINS: LACITOL MONOHYDRATE BENZOIC ACID	10 GM 0.0225 GM
64	CETIRIZINE HYDROCHLORIDE AND AMBROXOL HYDROCHLORIDE SYRUP	EACH 5 ML CONTAINS: CETIRIZINE HYDROCHLORIDE AMBROXOL HYDROCHLORIDE	2.5 MG 30 MG
65	POTASSIUM CITRATE AND CITRIC ACID SYRUP	EACH 5 ML CONTAINS: POTASSIUM CITRATE MONOHYDRATE CITRIC ACID MONOHYDRATE	1100 MG 334 MG
66	PIRACETAM SYRUP	EACH 5 ML CONTAINS: PIRACETAM	500 MG
67	ZINC ACETATE SYRUP	EACH 5 ML CONTAINS: ZINC ACETATE (AS DIHYDRATE) EQ. TO ZINC	20 MG
68	AZITHROMYCIN ORAL SUSPENSION IP	EACH 5 ML CONTAINS: AZITHROMYCIN DIHYDRATE EQ. TO AZITHROMYCIN ANHYDROUS	100 MG
69	AZITHROMYCIN ORAL SUSPENSION IP	EACH 5 ML CONTAINS: AZITHROMYCIN DIHYDRATE EQ. TO AZITHROMYCIN ANHYDROUS	200 MG
70	CYPROHEPTADINE AND TRICHOLINE SYRUP	EACH 5 ML CONTAINS: CYPROHEPTADINE HCL EQ. TO CYPROHEPTADINE TRICHOLINE CITRATE SORBITOL (70%)	2 MG 275 MG 3.575 gm
71	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE	15 MG 50 MG 1.5 MG
72	MAGALDRATE, SIMETHICONE EMULSION AND METHYLCELLULOSE ORAL SUSPENSION	EACH 5 ML CONTAINS: MAGALDRATE SIMETHICONE EMULSION 30% EQ. TO SIMETHICONE METHYLCELLULOSE	400 MG 20 MG 50 MG

73	SODIUM FEREDATE, FOLIC ACID, VITAMIN B12 SYRUP	EACH 5 ML CONTAINS: SODIUM FEREDATE EQ. TO ELE. IRON FOLIC ACID VITAMIN B12	231 MG 33 MG 1500 MCG 15 MCG
74	MAGALDRATE AND SIMETHICONE ORAL SUSPENSION USP	EACH 5 ML CONTAINS: MAGALDRATE SIMETHICONE EMULSION 30% EQ. TO SIMETHICONE	400 MG 60 MG
75	PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE PARACETAMOL ORAL SUSPENSION	EACH 5 ML CONTAINS: PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE PARACETAMOL	2.5 MG 2 MG 125 MG
76	OXETACAINE DRIED ALUMINIUM HYDROXIDE AND MAGNESIUM HYDROXIDE ORAL SUSPENSION	EACH 5 ML CONTAINS: OXETACAINE DRIED ALUMINIUM HYDROXIDE GEL (ADDED AS ALUMINIUM HYDROXIDE PASTE EQ. TO DRIED ALUMINIUM) MAGNESIUM HYDROXIDE (ADDED AS MAGNESIUM HYDROXIDE PASTE)	10 MG 0.291 MG 0.380 MG 98 MG
77	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SULPHATE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	15 MG 100 MG 1.25 MG QS
78	DEXTRO METHORPHAN HYDROBROMIDE, CETIRIZINE HYDROCHLORIDE AND PHENYLEPHERINE HCL SYRUP	EACH 5 ML CONTAINS: DEXTRO METHORPHAN HYDROBROMIDE CETIRIZINE HYDROCHLORIDE PHENYLEPHERINE HCL MENTHOLATED SYRUPY BASE	10 MG 5 MG 5 MG QS
79	HYDROXYZINE HYDROCHLORIDE ORAL SOLUTION IP	EACH 5 ML CONTAINS: HYDROXYZINE HYDROCHLORIDE	10 MG

80	PARACETAMOL, PHENYLEPHERINE HCL, CHLORAPHENIRAMINE MALEATE SODIUM CITRATE AND AMMONIUM CHLORIDE ORAL SUSPENSION	EACH 5 ML CONTAINS: PARACETAMOL PHENYLEPHERINE HCL CHLORAPHENIRAMINE MALEATE SODIUM CITRATE AMMONIUM CHLORIDE MENTHOLATED SYRUPY BASE	250 MG 5 MG 2 MG 60 MG 120MG QS
81	SODIUM VALPORATE SYRUP IP	EACH 5 ML CONTAINS: SODIUM VALPORATE	200 MG
82	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE	20 MG 50 MG 1.25 MG
83	FERRIC AMMONIUM CITRATE, FOLIC ACID, VITAMIN B12, VITAMIN B6 AND ZINC SULPHATE MONO SYRUP	EACH 5 ML CONTAINS: FERRIC AMMONIUM CITRATE FOLIC ACID VITAMIN B12 VITAMIN B6 ZINC SULPHATE MONO	225MG 0.5MG 7.5 MG 1.5 MG 44.4 MG
84	MAGALDRATE AND SIMETHICONE ORAL SUSPENSION USP	EACH 5ML CONTAINS: MAGALDRATE SIMETHICONE	400 MG 25 MG
85	CALCIUM CITRATE AND VITAMIN D3 SUSPENSION	EACH 5 ML CONTAINS: CALCIUM CITRATE EQ. TO ELEMENTAL CLACIUM VITAMIN D3	100 MG 200 IU
86	ALBENDAZOLE AND LEVAMISOLE HCL ORAL SUSPENSION	EACH 5 ML CONTAINS: ALBENDAZOLE LEVAMISOLE HCL EQ. TO LEVAMISOLE	200 MG 50 MG
87	AMBROXOL HYDROCHLORIDE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE	30MG
88	PHENYLEPHERINE HCL, CHLORAPHENIRAMINE MALEATE AND PARACETAMOL ORAL SUSPENSION	EACH 5 ML CONTAINS: PHENYLEPHERINE HCL CHLORAPHENIRAMINE MALEATE PARACETAMOL	5 MG 2 MG 250 MG
89	MAGALDRATE AND SIMETHICONE ORAL SUSPENSION USP	EACH 5ML CONTAINS: MAGALDRATE SIMETHICONE	480 MG 20MG

90	ONDANSETRON ORAL SOLUTION IP	EACH 5 ML CONTAINS: ONDANSETRON HYDROCHLORIDE EQ. TO ONDANSETRON	2 MG
91	ALBENDAZOLE ORAL SUSPENSION IP	EACH 5 ML CONTAINS: ALBENDAZOLE	200 MG
92	PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE PARACETAMOL ORAL SUSPENSION	EACH 5 ML CONTAINS: PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE PARACETAMOL	5 MG 1 MG 125 MG
93	CETIRIZINE DIHYDROCHLORIDE SYRUP IP	EACH 5 ML CONTAINS: CETIRIZINE DIHYDROCHLORIDE	5 MG
94	SILYMARIN AND LECITHIN ORAL SUSPENSION	EACH 5 ML CONTAINS: SILYMARIN LECITHIN EQ. TO PHOSPHATIDES	35 MG 125 MG 62.5 MG
95	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	15 MG 50 MG 1.25 MG QS
96	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	15 MG 50 MG 1.5 MG QS
97	CALCIUM CITRATE, MAGNESIUM HYDROXIDE, VITAMIN D3 , ZINC SULPHAHE AND L-LYSINE HYDROCHLORIDE ORAL SUSPENSION	EACH 5 ML CONTAINS: CALCIUM CITRATE EQ. TO ELEMENTAL CALCIUM MAGNESIUM HYDROXIDE EQ. TO ELEMENTAL MAGNESIUM VITAMIN D3 ZINC GLUCONATE EQ. TO ELEMENTAL ZINC L-LYSINE HYDROCHLORIDE	100 MG 25 MG 200 IU 1.5 MG 50 MG
98	DEXTROMETHORPHAN HYDROBROMIDE, CHLORPHENIRAMINE MALEATE, PHENYLEPHERINE HCL AND GUAIPHENESIN SYRUP	EACH 5 ML CONTAINS: DEXTROMETHORPHAN HYDROBROMIDE CHLORPHENIRAMINE MALEATE PHENYLEPHERINE HCL GUAIPHENESIN	10 MG 4 MG 5 MG 100 MG

99	AMBROXOL HYDROCHLORIDE, GUAIPHENESIN AND TERBUTALINE SYRUP	EACH 5 ML CONTAINS: AMBROXOL HYDROCHLORIDE GUAIPHENESIN TERBUTALINE SULPHATE MENTHOLATED SYRUPY BASE	15 MG 50 MG 1.25 MG QS
100	PHENYLEPHERINE HCL AND CHLORPHENIRAMINE MALEATE SYRUP	EACH 5 ML CONTAINS: PHENYLEPHERINE HCL CHLORPHENIRAMINE MALEATE	5 MG 1 MG
101	CALCIUM CARBONATE, MAGNESIUM HYDROXIDE, ZINC GLUCONATE AND VITAMIN D3 ORAL SUSPENSION	EACH 5 ML CONTAINS: CALCIUM CARBONATE EQ. TO ELEMENTAL CALCIUM MAGNESIUM HYDROXIDE EQ. TO ELEMENTAL MAGNESIUM ZINC GLUCONATE EQ. TO ELEMENTAL ZINC VITAMIN D3	625 MG 250 MG 180 MG 75 MG 14 MG 2 MG 200 IU
102	SODIUM FEREDTATE, FOLIC ACID AND VITAMIN B12 SYRUP	EACH 15 ML CONTAINS: SODIUM FEREDTATE EQ. TO ELE. IRON FOLIC ACID VITAMIN B12	231 MG 33 MG 1 MG 15 MCG
103	SODIUM FEREDTATE, FOLIC ACID, VITAMIN B12 AND ZINC SULPHATE SYRUP	EACH 15 ML CONTAINS: SODIUM FEREDTATE FOLIC ACID VITAMIN B12 ZINC SULPHATE MONO	231 MG 1.5 MG 15 MCG 61.8 MG
104	CALCIUM CARBONATE, VITAMIN D3 AND VITAMIN B12 SUSPENSION	EACH 5 ML CONTAINS: CALCIUM CARBONATE FROM ORGANIC SOURCE (OYSTER SHELL) EQ. TO ELEMENTAL CALCIUM VITAMN D3 VITAMIN B12	625 MG 250 MG 125 IU 2.5 MCG
105	DEXTROMETHORPRIM HYDROBROMIDE AND PROMETHAZINE HCL SYRUP	EACH 5 ML CONTAINS: DEXTROMETHORPRIM HYDROBROMIDE PROMETHAZINE HCL	15 MG 5 MG
106	DOMPERIDONE SUSPENSION	EACH ML CONTAINS: DOMPERIDONE	1MG

107	PARACETAMOL, CETIRIZINE HYDROCHLORIDE AND PHENYLEPHERINE HCL SUSPENSION	EACH 5 ML CONTAINS: PARACETAMOL CETIRIZINE HYDROCHLORIDE PHENYLEPHERINE HCL	125 MG 2 MG 5 MG
108	IBUPROFEN ORAL SUSPENSION BP	EACH 5 ML CONTAINS: IBUPROFEN	100 MG